Index to Volume 14, 2003

Author Index

(C) Correspondence (E) Editorial review (S1) Supplement 1

Abdala N 697
Abdelnoor M 796
Abdullah SM 642(C)
Abrahamsen M 800
Abrenica R 125
Adebiyi A 114
Adefowora A 114, 289(C)
Adgdamag DM 125
Agarossi A 417
Agnoletto V 482
Ahsan K 614
Ahsan M 762
Alawattegama AB 379
Alban P 125
Alcaide ML 712
Alfonso H 426(C)
Allan PS 632
Allardice K 805
Allsopp T 287(C)
Alt EN 285
Altaf A 572(C)
Amador C 776
Amirkhanian YA 361
Anderson M 810
Andrews C 478
Andron L 350
Anteyi KO 395
Ao T 688
APPT-1 Study Team 34(S1)
Arathoon E 810
Arenas-Pinto A 487
Arendt V 185
Arribas JR 6(S1)
Arriola KJ 438, 514
Askew J 519
Asmuth DM 350
Asthana D 732
Aucote HM 18
Aziz S 103

Badia X 11
Baggili T 830
Bakari M 547
Ball CS 291(C)
Bansal D 28, 524
Baqui AH 614
Barrett SP 399
Bean P 103
Becker J 570(C)
Begum L 614
Belazi M 458
Bell C 71, 360(C)
Bellin EY 675
Bello MA 487
Beltrame A 591
Bendel T 539
Bengoa R 291(C)
Benito C 776
Bernardo MT 125
Bernstein DI 300
Berry G 344, 840
Bertrand D 848
Bertrand J 848
Bettiol H 818
Bhaduri S 65(C)
Bharucha KE 37, 835
Bhatta MP 404
Bhore AV 37
Biberfeld G 547
Birkhill R 287(C)
Birley H 290(C)
Birley HDL 510, 513
Black RE 614
Blackwell A 661
Blake M 830
Blott MJ 291(C)
Bollinger Jr RC 37
Bollinger RC 835
Bond RA 30
Bouckenooghe A 1(E)
Bourne C 68(C)
Bower M 24, 647
Boyle FM 745
Bozina N 765
Bozzetti MC 258
Braithwaite R 514
Branca M 417
Brewer D 784(C)
Brewer DD 144
Brink A 426(C)
Brinkman J 560
Brody S 144, 148, 431, 717
Brook G 360(C)
Brook MG 469
Brookmeyer RS 37
Brown DWG 30
Brown HW 826
Brown M 438
Browning MR 737
Bulakh PM 37
Buraattini MN 309
Burchell AN 601
Bwayo JJ 197

Cahill DJ 386
Cairo I 243
Caliendo AM 826
Calvert J 661
Calza L 356, 638
Calzavara L 601
Cameron ST 50
Campbell T 399
Campo R 732
Campos PE 438
Cappiello T 417
Carasi S 591
Carey F 501(C)
Carey KB 532
Carey MP 532
Carlin EM 28, 524
Carne C 66(C)
Carney JM 697
Carosi G 591
Carvalho ACC 591
Casalini C 591
Castro J 487
Causer D 426(C)
Certad G 487
Challenor R 55, 622
Chandra PS 532
Changalucha J 274
Chantulo A 185
Chatterjee R 463
Chebet K 193
Cheluget B 193
Chesson 320
Chiaffarino F 482
Chima-Okereke C 290(C)
Chiodo F 356, 638
Chirenje MZ 202
Choi K-H 704
Claude MS 848
Clutterbuck D 390
Cohen DA 334
Colangeli V 356
Colebunders R 1(E), 69(C), 672
Connell P 830
Connolly C 526
Cook MD 745
Corkill JE 379
Costello K 805
Cotton L 810
Cozza S 514
Creighton S 109
Crowley T 386
Cu-Uvin S 826
Cunningham A 344
Cutler JR 216

Daigle J 560
Dale AWS 469
D'Antuono A 356
Das B 539
David L 568
David N 511
Davies S 640
de Harven E 574(C)
DeCock KM 193
del Rio C 438
Derbyshire SWG 573(C)
Detels R 665

Dewdney A 266
DIANAIDS Collaboratice Study Group 417
Dickson B 509
DiFranceisco W 320
Dinsmore W 501(C)
Ditto B 399
Donadi EA 309
Donovan B 307
Drake S 287(C)
Drakoulakos D 458
Dreezen C 672
Drucker E 144
Duarte G 818
Dunne MP 745
Durante AJ 697

Ebrahim SH 642(C)
Edgardh K 796
Edirisinghe DN 448
El-Hamad I 591
Eldridge GD 519
Emery S 661
Ena J 776
Enel C 208
Enzlin P 69(C)
ESCCRIM group 11
Escribà JM 341
Espantaleon A 125
Espinoza L 712
Estcourt C 493, 500(C)
Eurosupport Study Group 672
Evans BA 30
Evans-Jones J 287(C), 503(C)
Evans MR 290(C), 737

Fairley CK 793, 805
Faldon CM 630
Fan S 132
Farley TA 334
Farmer PE 848
Fayers T 386
Fenoll V 776
Fenton KA 500(C)
Ferguson A 856(C)
Ferrara G 487
Fiala C 426(C), 574(C)
Fiebich-Perez DK 285
Fielding R 132
Flanigan T 411
Flanigan TP 285
Fleva A 458
Florence E 1(E), 69(C), 672
Ford K 681
Forleo MA 591
Forman VL 770
Forster GE 99
Franco E 258
Franco G 288(C)
Franz B 451
Fraser C 782(C)
Friedman E 717
Fuller LC 78, 235

Gaffga AM 560
Gaiter J 519
Garbuglia AR 417
Garnett GP 782(C)
Gazzard B 225, 652
Geng W 642(C)
Ghosh A 463
Ghosh-Dastidar B 281
Gibb AM 99
Gilmour S 840
Gisselquist D 144, 148, 162, 179, 717
Giuliano AR 800
Gold RS 18
Goldmeier D 63(C)
Gonçalves MAG 309
Goold P 493
Goos M 451
Gordillo C 810
Gore-Felton C 539
Gosling C 65(C)
Gotch F 225
Götz HM 119
Gough K 601
Gouws E 814
Grady JJ 350
Gray J 287(C)
Graziano FM 103
Green J 248, 253
Green S 350
Gregoire L 681
Grieg A 625
Griffiths V 524
Grosskurth H 274
Gršković B 765
Guan FQ 642(C)
Gueye-Ndiaye A 208
Gulletta M 591
Gultom M 609
Guohua P 757
Gupta P 463
Gupte N 37
Guyavarch E 208

Habbema JDF 197
Hagensee ME 560
Hagley M 66(C), 372
Hall CE 636
Hamann T 300
Hamilton M 830
Hansen L 727
Harinda V 723
Harries AD 185
Harrison LH 463
Hart CA 379
Harwell JI 285, 411
Hawkes S 614
Hay P 114, 289(C)
Hay S 289(C)
Hayes R 274
Heimer R 697
Hengge UR 451
Herbert E 625
Herrera M 539
Hetherington S 478
Hetherton JP 248, 253
Heuengsberg M 632
Heuston J 248, 253
Hira SK 499(C)
Ho KM 42
Hoersch S 451
Holkar S 266
Holland TM 140(C), 630
Horner P 502(C), 714(C), 715(C)
Hossain KJ 762
Hua W 770
Hudson CP 644(C)
Huengsberg M 141(C), 287(C)
Hung C-C 473
Hurst C 329
Hussain A 202
Hussey J 448, 630
Hutchinson J 493, 500(C)

Idoko JI 395
Ikuta N 258
Imrie J 500(C)
Ingersoll J 826
Inserra P 800
Irana ID 609
Islam SKN 762
Israelski D 539

Jackson JB 740
Jacobs B 216
Jae-Deuk Yoon 46
Jaffer K 287(C)
Jairam KR 532
Jaleel H 632
Janghorbani M 132
Jansen HAF 274
Jayaweera D 712
Jayaweera DT 732
Jenkins JM 386
Jianping Z 757
Joanis L 848
Joesoef MR 193, 609
Johnson W 438
Jones G 287(C)
Jones J 830
Jones K 469, 493
Joo-Shil Lee 46
Joshi A 835
Joshi PL 37

Kageyama S 125
Kahn JA 300
Kalkut GE 675
Kamakura M 704
Kamal M 762
Kambugu FSK 216
Kandil H 652
Kapiga S 688
Kaptue L 189
Karmarkar A 37
Karter D 61
Kato CM 818
Kattumuri R 552
Kearns A 448
Keegan H 636
Keiser P 478
Kell PD 30
Kelly JA 361
Kennedy SB 428(C)
Keyi X 757
Ki-Soon Kim 46
Kim Ki-Soo 46
Kim O 46
Kim S-S 46
Kimmerling M 281
King I 243
Kingsley L 463
Kingston MA 28
Klausner JD 139(C)
Klimov N 697
Knight V 243
Koenig SP 848
Kolber M 712
Kolber MA 732
Komatsu R 704

Komolafe AJ 379
Kong D 805
Koopman C 539
Korneeva I 753
Kozlov A 697
Kshirsagar A 37
Kusimba J 197

Lagarde E 208
Lam TH 132
Lamba H 63(C)
Lambert W 848
Lamont RF 6
Lange J 15(S1)
Latini O 288(C)
Latkin CA 770
Lauderdale T-L 473
Layde PM 320
Léandre F 848
Leaño PS 125
Lee J-S 46
Lee M-W 46
Lee R 58
Lee SS 42
Lee V 141(C)
Leen CLS 577
Lehtinen M 787
Lele S 37
Lenczyk K 560
Leoncini L 417
LeSage D 334
Leung A 502(C), 714(C)
Levy R 805
Lewis JS 609
Li X 665
Linton D 661
Litzenberg K 539
Liu H 665
Lo H-J 473
Lorincz AT 258
Louissaint M 848
Low N 109, 830
Lule J 216
Lurie M 814
Lwanga A 216
Lynen L 1(E)

Mabey D 274
McArthur C 805
MacAulay H 287(C)
McAuliffe T 519
MacDonald J 329
McDonald LC 473
McFarland W 704
MacGowan RJ 519
McKevitt C 830
McKinsey DS 350
McLean H 714(C)
McManus T 99
McNulty AM 307
McOwan A 140(C)
MacRae KD 30
Maden T 253
Mair M 399
Major C 601
Malu M 55
Manalastas Jr. RM 826
Manavi K 390
Manfredi R 356, 638
Mann M 287(C)
Manongi R 688
Mårdh P-A 270, 753
Margolis A 519
Markos AR 314
Marks C 344, 840
Martin DH 560
Martínez E 20(S1)
Marum LH 193
Massad E 309
Massaquoi MBF 428(C)
Massey K 568
Matteelli A 591
Matthews GV 71
Mayaud P 274
Mayer KH 411, 826
Mbago MCY 596
Mbizvo EM 202
Mboup S 208
Mehta A 411
Melbourne Adherence Group 805
Mhalu F 547
Mhlongo S 426(C), 574(C)
Mi-Sun Park 46
Middleberg MI 570(C)
Mielzinska-Lohnas I 258
Migliore G 417
Mijch A 805
Miles K 243
Miles SH 174, 505
Miller GA 139(C)
Miller R 109
Miller RF 469
Min-Woo Lee 46
Mindel A 344, 840
Minkin SF 144, 717
Mire K 560
Monteiro EF 58, 66(C)
Moodley P 526
Moran JS 609
More C 830
Morgan DJ 6
Morimatsu S 125
Morison L 274
Morris C 856(C)
Morrone A 288(C)
Morrow K 519
Mortimore A 379
Mosha F 274
Moyle G 1(S1), 34(S1)
Msuya SE 202
Muhaimin T 609
Mujeeb SA 572(C)
Mulder PGH 119
Muliawan P 681
Mullan HM 644(C)
Munday PE 644(C), 854
Munguti K 274
Mussi-Pinhata MM 818
Myers T 601

Najman JM 745
Nakano T 125
Narouz N 141(C)
Nassar N 478
Nasta P 482
Natin D 632
Natividad-Villanueva GU 826
Ndinya-Achola JO 197
Ndongmo CB 189
Ndoye I 208
Neal TJ 379
Nelson M 24, 647
Nelson MR 71
Neogi DK 463
Neudeck BL 103
Nevil P 848
Newll A 625
Niklasson O 270
Nkhoma W 185
Nonnenmacher B 258
Nord JA 61
Norman LR 584
Novikova N 753
Núñez LT 487

Oakeshott P 289(C)
Obasi A 274
Ochwo M 216
O'Connor C 840
O'Farrell N 640
Ogunfile M 114
O'Hara HB 197
Okjin Kim 46
Ololo H 505
Osborne GEN 78, 235
Ostrovski D 697
Otido JM 197

Paavonen J 787
Page BAP 426(C)
Pakianathan MR 497
Pallangyo K 547
Palmisano ME 560
Panayiotidou D 458
Papadimitriou JM 426(C)
Papadopulos-Eleopulos E 426(C)
Papenfuss M 800
Paranjape RS 37
Parazzini F 482
Park M-S 46
Parry JV 291(C)
Paschoini MC 818
Pasquau F 776
Passarini B 356
Patke D 37
Pattman RS 448, 630
Pelgrom Y 672
Perrin M 727
Peters PE 223(C)
Phadke MA 37, 835
Phanuphak P 404
Pi Guohua 757
Piau J-P 208
Pinkerton SD 320
Pinon MW 675
Pintos J 258
Pisal H 37, 835
Pison G 208
Pitts MK 793
Piwowar-Manning E 740
Piyadigamage A 66(C)
Pleština S 765
Polaris HIV Seroconversion Study Team 601
Pollara C 591
Pollard RB 350
Pool R 216
Portsmouth S 225, 652, 757
Potočnik M 765
Potterat JJ 144, 148, 162, 179, 431, 717, 784(C)
Powles T 24, 647
Prime KP 497

Project START Study Group 519
Pugatch D 411
Purdie DM 745

Quah SP 501(C)
Quattrini E 810
Quintana SM 818

Raboud J 601
Rachlis A 601
Raffi F 29(S1)
Rahman M 614
Ramuscak N 601
Rao ASR 499(C)
Rao PSDVP 532
Rasnick D 574(C)
Ravenhill G 644(C)
Rayner CR 805
Read J 329
Reed BD 681
Rees CM 737
Remis RS 601
Risbud AR 37
Roach TC 644(C)
Robillard A 514
Robinson A 292
Robinson AJ 89
Robinson M 732
Rode R 732
Rodgers C 55
Rodgers ME 625
Rodrigues AR 753
Rodriguez A 732
Rodriguez J 810
Rogstad K 89, 292
Rogstad KE 266, 636, 656
Rohrsheim R 307
Rose B 840
Rosenstein IJ 6
Rosenthal SL 300
Ross JDC 429(C)
Rossero R 350
Rossi R 482
Rothenberg R 438, 784(C)
Rothenberg RB 144
Roy P 463
Rusizoka M 274
Ryan CA 193, 609

Sabin KM 614
Salazar JJ 848
Sam I-C 291(C)
Sam N 688
Samayoa B 810
Sandström E 547
Sankar KN 448, 630
Santiago E 826
Sastry J 37, 835
Sathia UL 140(C)
Say J 329
Scerpella E 732
Schiller JT 258
Schrooten W 69(C), 672
Schwartsmann G 258
Seage G 688
Seck K 208
Seifert C 344
Senya C 411
Shan H 740
Shankar AV 37, 835
Shattock R 289(C)
Sheehan M 6
Sheppard HW 463
Shrotri A 37, 835
Shuter J 675
Sichona FJ 596
Singler JM 848
Sivapalan S 70(C)
Skaza A 765
Skiest D 478
Skude G 270
Slomka MJ 30
Smith Fawzi MC 848
Somlai AM 697
Sood P 429(C)
Soon-Deok Suh 46
Sosman JM 519
Souza L de 854
Spiegel D 539
Spielmann MP 185
Ssemakula JK 222(C)
Stebbing J 225, 652, 757
Stephens TT 514
Sterne JAC 830
Stewart GT 574(C)
Stewart S 50
Strang J 248, 253
Stray-Pedersen B 202
Stringer B 571(C)
Stringer JSA 404
Sturm AW 526
Sturm PDJ 526
Suh S-D 46
Sung-Soon Kim 46
Suryawanski N 37, 835
Sutar S 835
Sutarga M 681
Sutherland S 50
Svoboda JS 646(C)
Swai A 547
Syrjänen K 417

Tai Hing Lam 132
Tang A 293, 511, 710
Tanner T 732
Tashima KT 285
Taylor C 78, 235
Taylor CB 109
Taylor J 344
Taylor-Robinson D 6, 715(C)
Tedoldi S 591
Tenant-Flowers M 109, 830
Teraoka H 125
Thacher TD 395
Thomas C 805
Thomas D 290(C)
Thomas T 532
Thompson C 840
Thompson RE 740
Tideman R 344
Tideman RL 793, 840
Tifft S 216
Tobin JM 723
Todd J 274
Toma L 288(C)
Tosswill JHC 291(C)
Tripathy S 37
Trudinger B 344
Tsai J-J 473
Tummon A 114
Turner AJL 448
Turner VF 426(C)
Twyman P 570(C)

Underhill G 723
Urassa W 547
Urban AW 103

Vachon F 144, 148
Vall Mayans M 341
van Beek I 840
van der Meijden WI 119
van der Snoek E 119
Van Howe RS 646(C)
Verkooyen RP 119
Vermund SH 404
Vigus J 625
Vilata J-J 11
Villa LL 258
Visscher B 665
Vivar A 139(C)
Voeten HACM 197
von Krogh G 228
Vosvick M 539

Wagner G 281
Wagner GJ 64(C)
Wandera C 193
Watson P 68(C), 430(C)
Watson PG 503(C)
Waugh M 143(E)
Waugh MA 765
Wendell DA 334
White A 478
Whiteley C 248, 253
Whitworth JAG 216
Wildman GM 710
Williams B 814
Williams P 228
Wilson H 493
Wipat W 448
Wirawan DN 681
Witkin SS 753
Wong KH 42
Wong T 727
Wood A 287(C)
Woolfson RG 497
Wootton R 68(C)

Xu Keyi 757

Yazdani B 478
Yin Y 665
Yoganathan K 290(C)
Yohanna S 395
Yoon J-D 46
Young H 390

Zachariah R 185
Zack B 519
Zebaze RMD 428(C)
Zekeng L 189
Zhang Jianping 757
Zhang SX 642(C)
Zhuo J 642(C)
Zingman BS 675
Zuckerman M 830
Zuckerman MA 291(C)
Zuma K 814

Subject Index

(C) Correspondence (E) Editorial review (S1) Supplement 1

ABACAVIR-ASSOCIATED HYPERSENSITIVITY REACTION: comparison with symptoms of influenza A 478
ABORTION:
can a busy service cope with a screen-and-treat policy for *Chlamydia trachomatis* infection? 50
multidisciplinary approach to chlamydia screening in women undergoing termination of pregnancy 287(C)
ADHERENCE:
Assessing Patients' Preferred Treatments (APPT-1) study 34(S1)
didanosine: power of simplicity 15(S1)
does discontinuing the use of pill boxes to facilitate electronic monitoring impede adherence? 64(C)
effectiveness and satisfaction with imiquimod in the treatment of external anogenital warts 11
factors associated with accurate self-reported adherence to HIV antiretrovirals 281
improved with computerized reminder system for Papanicolaou smear recommendations in HIV care clinic 675
once-daily therapy: less is more 1(S1)
randomized trial of adherence programme for clients with HIV 805
self-reported, to HIV antiretrovirals, factors associated with accuracy 281
ADOLESCENTS:
co-infection with gonorrhoea and chlamydia: how much is there and what does it mean? 109
exclusively young offenders: providing dedicated sexual clinics in English young offender institutions 293
sexual health needs of the under-16s attending an STI clinic: what are they and are they being addressed? 266
voluntary HIV antibody testing amongst youth in Hong Kong 132
AGEING COHORT EFFECT: lack of among sexually acquired HIV infections in Hong Kong 42
AIDS:
in Africa 143(E)
in Africa, assessing the role of anal intercourse in the epidemiology of 431
assessing role of anal intercourse in epidemiology in Africa 856
awareness and household environment of pregnant women in Pune, India 835
emergence in Guatemala: inpatient experience at the Hospital General San Juan de Dios 810
family intervention, need readiness and opportunities for in China 642(C)
high rate of HIV seropositivity in Africa—alternative explanation 426(C)
and HIV, the spread of in Africa through unsafe medical care, the missing link? 222(C)
HIV and STD among Japanese and Japanese-Americans in San Francisco, California, USA 704
HIV in Africa following unsafe injections 573(C)
HIV infection, oral manifestations in Nigerian patients 395
HIV infection in sub-Saharan Africa 428(C), 570(C)
HIV infection in sub-Saharan Africa, do no harm 571(C)
HIV risk behaviours and history of prior TB infection among a sample of male inmates in the USA 514
HIV transmission in Africa in ways other than heterosexual sex 646(C)
how health care transmission in Africa was ignored; let it be sexual 148
let it be sexual: health care transmission of AIDS in Africa was ignored 572(C)
multiple opportunistic associated disorders, strictly related to immunodeficiency levels in a girl with congenital HIV infection 638
newest epidemic: a review of HIV/AIDS in Central and Eastern Europe 361
one-and-a-half decades of HIV/AIDS in Tamil Nadu: how much do patients know now? 552
in People's Republic of China: collaborative review 757
Pneumocystis jiroveci pneumonia: reactivation, reinfection or both? 644(C)
Wernicke's encephalopathy: preventable cause of fatal neurological deficit 712
see also HIV infection
ALTERNATIVE MEDICINE *see* complementary therapy
ANAL INTERCOURSE: assessing role of in AIDS epidemiology in Africa 431, 856
ANOGENITAL WARTS:
audit 710
contributing to the risk of squamous intraepithelial lesions among HIV-positive women of São Paulo, Brazil 309
cost-effectiveness of patient-applied treatments 228
external, effectiveness, satisfaction and compliance with imiquimod treatment 11
ANTENATAL SCREENING: analysis of the latest for HIV and syphilis from South Africa, HIV a sexually transmitted disease? 574(C)
ANTIBIOTICS:
prophylaxis post-sexual assault, should it be offered? 99
resistance—molecular epidemiology of endemic ciprofloxacin-resistant *Neisseria gonorrhoeae* in Liverpool 379
treatment of pelvic inflammatory disease 429(C), 430(C)
ANTIBODIES:
comparison of salivary IgA and systemic IgA and IgG antibodies to *Saccharomyces cerevisiae* in HIV-infected subjects 458
voluntary HIV testing amongst youth in Hong Kong 132
ANTIRETROVIRAL THERAPY:
Assessing Patients' Preferred Treatments (APPT-1) study 34(S1)
factors associated with accurate self-reported adherence to HIV antiretrovirals 281
hydroxyurea in combination with didanosine and stavudine in antiretroviral-experienced HIV infected subjects with a review of the literature 350
once-daily therapy: less is more 1(S1)
plasma RNA level and CD4 cell count in a large urban HIV-1-infected patient population from 1997 to 2000 740
prescribing in HIV patients, third regional audit 58
protease inhibitor drug levels in the management of human immunodeficiency virus-1 103
see also highly active antiretroviral therapy (HAART)

ARMED FORCES:
asymptomatic candidal urethritis, prevalence in military recruits in the Celje region, Slovenia 765
HIV infection in insurgency forces in sub-Saharan Africa — personal view of policies 174
ASSAULT, SEXUAL: should antibiotic prophylaxis be offered? 99
ATAZANAVIR: releasing true power of protease inhibitors 29(S1)
AUDIT:
delivery of first dose of hepatitis B immunization to at risk groups may be more important than subsequent doses 140(C)
to evaluate the accessibility, cost, impact on work place absence and convenience of attending genitourinary medicine clinics in London and Plymouth 55
genital warts 710
gonorrhoea in a South London genitourinary medicine department 625
gonorrhoea test of cure at the genitourinary medicine department in Newcastle upon Tyne, UK 630
hepatitis B immunization 65(C)
HIV partner notification in a district general hospital 854
let's talk about sex — chlamydia prevention in primary care 503(C)
local service, sexual health care of HIV-positive patients 493
offering the vaccine and accepting it: an audit of hepatitis B vaccination in West Midlands region 632
Southwest Regional Genitourinary Physicians' Audit Group: setting regional benchmarks for patient satisfaction 622
third regional of antiretroviral prescribing in HIV patients 58

BACTERIAL VAGINOSIS:
does it alter the sensitivity of screening tests for *Chlamydia trachomatis*? Analysis of patient characteristics 448
evaluation of a novel diagnostic test for, 'the electronic nose' 114
lactate dehydrogenase and its isoenzymes in vaginal fluid in vaginitis/vaginosis cases and in healthy controls 270
relation between Gram-stain and clinical criteria for diagnosis, with special reference to Gram grade II evaluation 6
vulvovaginal, entry dyspareunia and longstanding vulval problems among clinic visitors in Oslo 796
BAR WORKERS: social and behavioural determinants of consistent condom use among in Northern Tanzania 688
BLOOD DONORS: college-aged Canadian, prevalence, disclosure and interpretations of sexual behaviour 399

CANCER *see* cervical cancer; malignancy
***CANDIDA*:**
detection by polymerase chain reaction *vs* microscopy and culture in women diagnosed as recurrent vulvovaginal cases 753
vulvovaginal, entry dyspareunia and longstanding vulval problems among clinic visitors in Oslo 796
CASTLEMAN'S DISEASE: multicentric, HIV-associated and low dose interferon-α therapy 61
CD4 T-LYMPHOCYTE COUNTS:
estimation from percent CD4 T-lymphocyte determination in HIV-1-infected subjects in sub-Saharan Africa 547
and plasma RNA level in a large urban HIV-1-infected patient population from 1997 to 2000 740

CERVICAL CANCER:
effectiveness of preventive human papillomavirus vaccination 787
human papillomavirus infections in commercial sex workers — risk factors and behaviours 840
risk, ethnic variation of p53 codon 72 polymorphism and HPV persistence 800
women at low risk of, epidemiologic correlates of antibody response to human papillomavirus 258
CERVICAL SWABS: as compared to self-administered vaginal swabs, detection of human papillomavirus DNA 560
CHILDREN:
correlates of knowledge of prevention of sexually transmitted diseases among primary school pupils in Tanzania 596
multiple AIDS-associated disorders strictly related to immunodeficiency levels, in a girl with congenital HIV infection 638
***CHLAMYDIA TRACHOMATIS* (CHLAMYDIA):**
asymptomatic urethritis, prevalence in military recruits in the Celje region, Slovenia 765
can a busy abortion service cope with a screen-and-treat policy for infection? 50
does bacterial vaginosis alter the sensitivity of screening tests? Analysis of patient characteristics 448
genital infection in migrant female sex workers in Italy 591
and gonorrhoea co-infection: how much is there and what does it mean? 109
infection in colposcopy unit: audit of fast track referral system 661
multidisciplinary approach to screening in women undergoing termination of pregnancy 287(C)
prevention in primary care, let's talk about sex 503(C)
screening for genital infection: DNA amplification techniques should be test of choice 723
sexually transmitted infections prevalence rates in slum communities of Dhaka, Bangladesh 614
CIPROFLOXACIN RESISTANCE: molecular epidemiology of endemic *Neisseria gonorrhoeae* in Liverpool 379
CO-INFECTION:
association between parasitic intestinal infections and acute or chronic diarrhoea in HIV-infected patients in Caracas, Venezuela 487
with gonorrhoea and chlamydia: how much is there and what does it mean? 109
COLONIZATION: of HIV-infected outpatients in Taiwan with methicillin-resistant and methicillin-susceptible *Staphylococcus aureus* 473
COLPOSCOPY: *Chlamydia trachomatis* infection: audit of fast track referral system 661
COMMERCIAL SEX WORKERS:
cervical human papillomavirus infections in — risk factors and behaviours 840
Chlamydia trachomatis genital infection in migrant female sex workers in Italy 591
female, human papillomavirus infection: Bali STD/AIDS study 681
sexually transmitted infections and sexual behaviour in a rural district of Malawi 185
COMMUNITY-BASED STUDIES: pilot study of community-based intervention to detect asymptomatic sexually transmitted infections 830
COMPACT THERAPY: less is more 1(S1)
COMPLEMENTARY THERAPY:
reasons for and characteristics of users among HIV-infected people 482

syphilis referral from 640
use by persons with HIV infection in Europe 672
COMPLIANCE *see* adherence
CONDOM USE:
consistent, predictors of: a hierarchical analysis of adults from Kenya, Tanzania and Trinidad 584
social and behavioural determinants of consistent use among hotel and bar workers in Northern Tanzania 688
street outreach for HIV prevention: effectiveness of a state-wide distribution programme 334
CONFIDENTIALITY: and abrogation of human rights, prisoners seen in GUM clinics in the UK 510(C)
CONGENITAL INFECTION: multiple opportunistic AIDS-associated disorders strictly related to immunodeficiency levels in a girl with HIV 638
CONTRACEPTION: early patterns of sexual activity: age cohort differences in Australia 745
CONVENIENCE: accessibility, cost and impact on work place absence of attending genitourinary medicine clinics in London and Plymouth, audit to evaluate 55
COST-EFFECTIVENESS: of patient-applied treatments for anogenital warts 228
CRACK COCAINE: relationship between social network characteristics and exchanging sex for drugs or money among drug users in Baltimore, MD, USA 770

DERMATOLOGY:
management of HIV-related skin disease Part I: infections 78
management of HIV-related skin disease Part II: neoplasms and inflammatory disorders 235
DEVELOPING COUNTRIES: prevalence and risk factors of STDs in rural Haiti: implications for policy and programming in resource-poor settings 848
DIAGNOSTICS:
detection of *Candida* by polymerase chain reaction *vs* microscopy and culture in women diagnosed as recurrent vulvovaginal cases 753
detection of human papillomavirus DNA in self-administered vaginal swabs as compared to cervical swabs 560
influence of the expanding HIV genetic diversity in the Philippines 125
sexually transmitted diseases in Hefei, China 665
symptomatic primary HIV infection or risk experiences? Circumstances surrounding HIV testing among recent seroconverters 601
DIARRHOEA: acute or chronic, association with parasitic intestinal infections in HIV-infected patients in Caracas, Venezuela 487
DIDANOSINE:
power of simplicity 15(S1)
and stavudine in combination with hydroxyurea in antiretroviral-experienced HIV infected subjects with a review of the literature 350
DIETITIANS: in sexual health services — extension of the one-stop shop? 644(C)
DISCOID LUPUS ERYTHEMATOSUS: and systemic lupus erythematosus in HIV-infected patients treated with highly active antiretroviral therapy 356
DISEASE PREDICTORS: of seropositivity to herpes simplex virus type 2 in women 30
DISEASE PROGRESSION: course of HIV disease does not depend on risk group: 7.5-year follow-up in 296 patients 451
DNA AMPLIFICATION TECHNIQUES: test of choice for screening for genital chlamydia infection 723
DONOVANOSIS: in developed countries: neglected or misdiagnosed disease? 288(C)
DRUG ADDICTS: of Bangladesh, HIV prevalence: drug habit, sexual practice and lifestyle 762
DRUG USERS, INJECTION:
relationship between social network characteristics and exchanging sex for drugs or money among drug users in Baltimore, MD, USA 770
syringe-borne and sexually transmitted disease prevalence estimation in St Petersburg, Russia 697
DYSPAREUNIA: entry, and longstanding vulval problems among STD-clinic visitors in Oslo 796

EDUCATIONAL PROGRAMMES: randomized trial of adherence programme for clients with HIV 805
EFAVIRENZ:
enhancing the gold standard 6(S1)
experience in end-stage renal disease 497
and nevirapine, risk and determinants of developing severe liver toxicity during therapy in HIV-infected patients 776
non-nucleoside reverse transcriptase inhibitors 71
ELECTRONIC MONITORING: does discontinuing the use of pill boxes to facilitate this impede adherence? 64(C)
'ELECTRONIC NOSE': evaluation of a novel diagnostic test for bacterial vaginosis 114
END-STAGE RENAL DISEASE: experience with efavirenz 497
ENZYME IMMUNOASSAY: screening for genital chlamydia infection 723
EPIDEMIC:
HIV and AIDS in People's Republic of China: collaborative review 757
newest: a review of HIV/AIDS in Central and Eastern Europe 361
EPIDEMIOLOGY:
assessing role of anal intercourse in AIDS epidemiology in Africa 856
correlates of antibody response to human papillomavirus among women at low risk of cervical cancer 258
geographical variations in the prevalence of HIV and other sexually transmitted infections in rural Tanzania 274
heterosexual HIV transmission in Africa
an empiric estimate 162
recent findings and future directions 428(C)
of HIV in Africa, mounting anomalies: cry the beloved paradigm 144
molecular, of endemic ciprofloxacin-resistant *Neisseria gonorrhoeae* in Liverpool 379
EPIDIDYMITIS: and epididymo-orchitis: a review of causes and management of unusual forms 372
ERECTION: spontaneous painful, is gonorrhoea presenting with more often than we think? 140(C)
ETHNICITY:
associations of with newly diagnosed HIV-1 infection, at a provincial UK genitourinary medicine clinic: 1998–2001 66(C)
pilot study of community-based intervention to detect asymptomatic sexually transmitted infections 830

FAMILY INTERVENTION: need readiness and opportunities for HIV/AIDS in China 642(C)
FOLLOW-UP: loss to of HIV-exposed infants in South London 291(C)

GENETIC DIVERSITY: expanding of HIV, influence on molecular diagnosis in the Philippines 125

GENITAL INFECTION: *Chlamydia trachomatis,* in migrant female sex workers in Italy 591
GENITOURINARY MEDICINE:
abrogation of the confidentiality and human rights of prisoners seen in GUM clinics in the UK 510(C)
audit of gonorrhoea test of cure at the genitourinary medicine department in Newcastle upon Tyne, UK 630
demand for sexual health services during the Olympic Games: both sides of the Sherman effect 307
dietitians in sexual health services—an extension of the one-stop shop? 644(C)
gonorrhoea in a South London department 625
history of prior TB infection and HIV/AIDS risk behaviours among a sample of male inmates in the USA 514
is offering same day HIV testing appropriate? 429(C)
management of penile intraepithelial neoplasia 314
medical student awareness of sexual health is poor 386
predictors of risky sex of young men after release from prison 519
prevalence of STD and HIV infections among attenders of the Erasmus MC STD clinic, Rotterdam, The Netherlands, during the years 1996 to 2000 119
prisoners' human rights and sexually transmitted infection 509
quality of working life 524
service modernization in HIV services: what does it mean? 89, 292
sexual health care of HIV-positive patients: audit of a local service 493
sexually transmitted infections in a young offender institution 513(C)
sexually transmitted infections in a young offender institution in the UK 511
Southwest Regional Genitourinary Physicians' Audit Group: setting regional benchmarks for patient satisfaction 622
specialty workforce review 2002/2003: England, Wales, Northern Ireland and Scotland 656
telemedicine and its use in promoting sexual health 66(C)
telemedicine use: response to comments by Hagley and Carne 68(C)
whose clinic is it anyway? 287(C)
GENITOURINARY MEDICINE CLINICS:
change from appointment service to walk-in triage service at sexual health centre 793
exclusively young offenders: providing dedicated adolescent sexual clinics in English young offender institutions 293
how is gonorrhoea treated in the UK? 70(C)
identification of women at high STD risk among STD clinic attendees: implications for STD programmes 526
in London and Plymouth, an audit to evaluate accessibility, cost, impact on work place absence and convenience of attending 55
provincial UK, associations of newly diagnosed HIV-1 infection with ethnicity: 1998–2001 66(C)
in Wales, information technology in 290(C)
see also sexually transmitted disease clinics
GONORRHOEA:
and chlamydia co-infection: how much is there and what does it mean? 109
how is it treated in genitourinary medicine clinics in the UK? 70(C)
is it presenting with painful spontaneous erections more often than we think? 140(C)
resurgence in Canada 727
sensitivity of microscopy for the rapid diagnosis of in men and women and the role of gonorrhoea serovars 390
in a South London genitourinary medicine department 625
test of cure at the genitourinary medicine department in Newcastle upon Tyne, UK 630
GRAM-STAIN: relation with clinical criteria for diagnosing bacterial vaginosis with special reference to Gram grade II evaluation 6

HEALTH CARE TRANSMISSION:
of AIDS in Africa was ignored; let it be sexual 148, 572(C)
case against sexual transmission of HIV 784(C)
high rate of HIV seropositivity in Africa—alternative explanation 426(C)
HIV: four policies to reduce 717
HIV in Africa following unsafe injections 573(C)
HIV infection in sub-Saharan Africa 223(C), 428(C), 570(C)
HIV infection in sub-Saharan Africa, do no harm 571(C)
HIV transmission in Africa in ways other than heterosexual sex 646(C)
let it be sexual: selection, aggregation and distortion used to construct a case against sexual transmission 782(C)
missing link? 'The spread of HIV/AIDS in Africa through unsafe medical care' 222(C)
see also nosocomial transmission
HEALTH PROMOTION: pilot study of community-based intervention to detect asymptomatic sexually transmitted infections 830
HEPATITIS B:
or hepatitis C and HIV co-infection, management in 15 HIV treatment centres. Disparity between protocols and practice 469
seroprevalence of sexually transmitted viruses in Korean populations including HIV-seropositive individuals 46
sexually transmitted infection prevalence rates in slum communities of Dhaka, Bangladesh 614
HEPATITIS B IMMUNIZATION:
audit of 65(C)
auditing delivery of first dose to at risk groups may be more important than subsequent doses 140(C)
offering the vaccine and accepting it: audit of hepatitis B vaccination in West Midlands region 632
HEPATITIS C:
or hepatitis B and HIV co-infection, management in 15 HIV treatment centres. Disparity between protocols and practice 469
seroprevalence of sexually transmitted viruses in Korean populations including HIV-seropositive individuals 46
HERPES SIMPLEX VIRUS TYPE 2:
predictors of seropositivity in women 30
seroprevalence of sexually transmitted viruses in Korean populations including HIV-seropositive individuals 46
HETEROSEXUAL ACTIVITY: of male prisoners in England and Wales 248
HETEROSEXUAL TRANSMISSION: HIV in Africa:
an empiric estimate 162
recent findings and future directions 428(C)
HIGHLY ACTIVE ANTIRETROVIRAL THERAPY (HAART):
in countries with very limited resources: do we have cheaper alternatives? 1(E)
HIV-related lung cancer 647
perspectives on: switch maintenance therapy 577
releasing true power of protease inhibitors 29(S1)
stavudine: reassurance of experience 20(S1)
systemic and discoid lupus erythematosus in HIV-infected patients 356

HIV-1 INFECTION:
antiretroviral therapy, protease inhibitor drug levels in management 103
estimation of CD4 T-lymphocyte counts from percent CD4 T-lymphocyte determinations in infected subjects in sub-Saharan Africa 547
evidence of shorter incubation period in Mumbai, India 499(C)
high incidence and prevalence of in high risk population in Calcutta, India 463
indinavir and ritonavir in individuals from an inner-city minority population 732
newly diagnosed, associations of with ethnicity at a provincial UK genitourinary medicine clinic: 1998–2001 66(C)
in plasma and cervicovaginal secretions in Filipino women 826
plasma RNA level and CD4 cell count in a large urban infected patient population from 1997 to 2000 740
HIV INFECTION:
acute, from internet sex-seeking: a report of two cases 285
and AIDS, oral manifestations of in Nigerian patients 395
and AIDS, risk behaviours and history of prior TB infection among a sample of male inmates in the USA 514
AIDS and STD among Japanese and Japanese-Americans in San Francisco, California, USA 704
analysis of the latest antenatal screening for HIV and syphilis from South Africa, HIV a sexually transmitted disease? 574(C)
anogenital warts contributing to the risk of squamous intraepithelial lesions among HIV-positive women of São Paulo, Brazil 309
Assessing Patients' Preferred Treatments (APPT-1) study 34(S1)
association between parasitic intestinal infections and acute or chronic diarrhoea in HIV-infected patients in Caracas, Venezuela 487
audit of HIV partner notification in a district general hospital 854
awareness and household environment of pregnant women in Pune, India 835
colonization of infected outpatients in Taiwan with methicillin-resistant and methicillin-susceptible *Staphylococcus aureus* 473
comparison of salivary IgA and systemic IgA and IgG antibodies to *Saccharomyces cerevisiae* in HIV-infected subjects 458
complementary and alternative medicine use in Europe 672
congenital, multiple opportunistic AIDS-associated disorders strictly related to immunodeficiency levels in a girl with 638
continued high-risk behaviour among HIV-positive people in Wales 737
correlates of sexually transmitted disease infection among adults living with HIV 539
course of HIV disease does not depend on risk group:7.5-year follow-up in 296 patients 451
didanosine: power of simplicity 15(S1)
efavirenz: enhancing the gold standard 6(S1)
expanding genetic diversity, influence on molecular diagnosis in the Philippines 125
experience with efavirenz in end-stage renal disease 493
exposure in infants, loss to follow-up in South London 291(C)
factors associated with accurate self-reported adherence to HIV antiretrovirals 281
factors predicting the persistence of genital human papillomavirus infections and PAP smear abnormality in HIV-positive and HIV-negative women during prospective follow-up 417
family intervention, need readiness and opportunities for in China 642(C)
and hepatitis B or C co-infection, management in 15 HIV treatment centres. Disparity between protocols and practice 469
HIV-related testicular cancer 24
hydroxyurea in combination with didanosine and stavudine in antiretroviral-experienced HIV infected subjects with a review of the literature 350
'I'm less at risk than most guys': gay men's unrealistic optimism about becoming infected 18
innate and adaptive immunological insights into pathogenesis 652
in insurgency forces in sub-Saharan Africa 174
lack of homosexual exposure among hospital-based, HIV-infected patients in Lima, Peru 139(C)
low dose interferon-α therapy for HIV-associated multicentric Castleman's disease 61
lung cancer—a growing concern? 647
the management of HIV-related skin disease Part I: infections 78
the management of HIV-related skin disease Part II: neoplasms and inflammatory disorders 235
mounting anomalies in the epidemiology of HIV in Africa: cry the beloved paradigm 144
newest epidemic: a review of HIV/AIDS in Central and Eastern Europe 361
once and future treatment: a comparison of clinic and community groups 438
one-and-a-half decades of HIV/AIDS in Tamil Nadu: how much do patients know now? 552
in People's Republic of China: collaborative review 757
perspectives on HAART: switch maintenance therapy 577
in plasma and cervicovaginal secretions in Filipino women 826
prevention with street outreach: effectiveness of a statewide programme 334
randomized trial of adherence programme 805
reasons for complementary therapies and characteristics of users among HIV-infected people 482
relationship between social network characteristics and exchanging sex for drugs or money among drug users in Baltimore, MD, USA 770
releasing true power of protease inhibitors 29(S1)
risk and determinants of developing severe liver toxicity during therapy with nevirapine- and efavirenz-containing regimens in HIV-infected patients 776
risk behaviours among psychiatric inpatients: results from a hospital-wide screening study in southern India 532
risk factors among women in Carletonville, South Africa: migration, demography and sexually transmitted diseases 814
risk of, and previous STI in men 341
sexual dysfunction 69(C)
sexual dysfunction in HIV-positive individuals 63(C)
sexually acquired in Hong Kong, lack of ageing cohort effect 42
social and behavioural determinants of consistent condom use among hotel and bar workers in Northern Tanzania 688
spectrum of opportunistic infections in hospitalized patients in Phnom Penh, Cambodia 411
stavudine: reassurance of experience 20(S1)
in sub-Saharan Africa 223(C), 428(C), 570(C)

HIV INFECTION: (*Continued*)
in sub-Saharan Africa, do no harm 571(C)
symptomatic primary, or risk experiences? Circumstances surrounding HIV testing and diagnosis among recent seroconverters 601
systemic and discoid lupus erythematosus in HIV-infected patients treated with highly active antiretroviral therapy 356
third regional audit of antiretroviral prescribing in HIV patients 58
see also AIDS
HIV PREVALENCE:
differential, in women and men who attend sexually transmitted disease clinics at HIV sentinel surveillance sites in Kenya, 1990–2001 193
in drug addicts of Bangladesh: drug habit, sexual practice and lifestyle 762
geographical variations in, and other sexually transmitted infections in rural Tanzania 274
high rate of seropositivity in Africa—alternative explanation 426(C)
increased among individuals attending a sexually transmitted infection clinic in Yaounde, Cameroon 189
and risk factors of STDs in rural Haiti: implications for policy and programming in resource-poor settings 848
seroprevalence of sexually transmitted viruses in Korean populations including HIV-seropositive individuals 46
and STDs among attenders of the Erasmus MC STD clinic, Rotterdam, The Netherlands, during the years 1996 to 2000 119
in Zimbabwean women: 54–67% knowledge and perceived risk 202
HIV SERVICES:
clinic, improved compliance with recommendations for Papanicolaou smear with computerized reminder system 675
modernization in GUM services: what does it mean? 89, 292
sexual health care of HIV-positive patients: an audit of a local service 493
sexual health needs of HIV-positive people 500(C)
HIV TESTING:
patients' acceptance: how useful is an information leaflet? 141(C)
rapid of pregnant women in India, sensitivity and specificity 37
same day, is offering appropriate? 429(C)
voluntary antibody testing amongst youth in Hong Kong 132
HIV TRANSMISSION:
in Africa following unsafe injections 573(C)
in Africa in ways other than heterosexual sex 646(C)
and AIDS, spread of in Africa through unsafe medical care, the missing link? 222(C)
assessing the role of anal intercourse in the epidemiology of AIDS in Africa 431
case against sexual transmission 784(C)
confound it: latent lessons from the Mwanza trial of STD treatment to reduce 179
heterosexual in Africa
an empiric estimate 162
recent findings and future directions 428(C)
HIV infections in sub-Saharan Africa 223(C)
let it be sexual
health care transmission of AIDS in Africa was ignored 572(C)
selection, aggregation and distortion used to construct a case against sexual transmission 782(C)
the missing link? 'The spread of HIV/AIDS in Africa through unsafe medical care' 222(C)
mother-to-child, prevention in Thailand: physician zidovudine use and willingness to provide care 404
mounting anomalies in the epidemiology of HIV in Africa: cry the beloved paradigm 144
sexually transmitted disease? Analysis of the latest antenatal screening for HIV and syphilis from South Africa 574(C)
sexually transmitted infection prevalence rates in slum communities of Dhaka, Bangladesh 614
through unsterile health care: four policies to reduce 717
vertical, factors associated with during two different time periods: impact of zidovudine use on clinical practice at Brazilian reference centre 818
HOMOSEXUAL ACTIVITY:
lack of exposure among hospital-based, HIV-infected patients in Lima, Peru 139(C)
same-sex activity of male prisoners in England and Wales 253
HOTEL AND BAR WORKERS: social and behavioural determinants of consistent condom use among in Northern Tanzania 688
HUMAN PAPILLOMAVIRUS:
attitudes about vaccine in young women 300
cervical infections in commercial sex workers—risk factors and behaviours 840
detection of DNA in self-administered vaginal swabs as compared to cervical swabs 560
effectiveness of preventive vaccination 787
epidemiologic correlates of antibody response to, among women at low risk of cervical cancer 258
genital, and PAP smear abnormality, factors predicting the persistence of, in HIV-positive and HIV-negative women during prospective follow-up 417
infection among female sex workers: Bali STD/AIDS study 681
persistence, p53 codon 72 polymorphism and cervical cancer risk: ethnic variation 800
HUMAN RIGHTS:
and confidentiality, abrogation of in prisoners seen in GUM clinics in the UK 510(C)
prisoners', and sexually transmitted infection 509
HYDROXYUREA: in combination with didanosine and stavudine in antiretroviral-experienced HIV infected subjects with a review of the literature 350
HYPERSENSITIVITY REACTION: abacavir-associated, comparison with symptoms of influenza A 478

IATROGENIC TRANSMISSION:
confound it: latent lessons from the Mwanza trial of STD treatment to reduce HIV transmission 179
high rate of HIV seropositivity in Africa—alternative explanation 426(C)
HIV in Africa following unsafe injections 573(C)
HIV infection in sub-Saharan Africa 223(C), 428(C), 570(C)
HIV infection in sub-Saharan Africa, do no harm 571(C)
HIV through unsterile health care: four policies to reduce 717
HIV transmission in Africa in ways other than heterosexual sex 646(C)
how health care transmission of AIDS in Africa was ignored; let it be sexual 148
let it be sexual: health care transmission of AIDS in Africa was ignored 572(C)

the missing link? 'The spread of HIV/AIDS in Africa through unsafe medical care' 222(C)
IMIQUIMOD: effectiveness, satisfaction and compliance in the treatment of external anogenital warts 11
IMMUNITY: innate and adaptive in HIV pathogenesis 652
IMMUNIZATION *see* vaccination
IMMUNODEFICIENCY LEVELS: multiple opportunistic AIDS-associated disorders strictly related to, in a girl with congenital HIV infection 638
IMMUNOGLOBULINS: comparison of salivary IgA and systemic IgA and IgG antibodies to *Saccharomyces cerevisiae* in HIV-infected subjects, comparison of 458
IMMUNOLOGIC TECHNIQUES:
high rate of HIV seropositivity in Africa—alternative explanation 426(C)
monitoring for estimation of CD4 T-lymphocyte counts from percent CD4 T-lymphocyte determinations in HIV-1-infected subjects in sub-Saharan Africa 547
INCUBATION PERIOD: of HIV-1, evidence of shorter, in Mumbai, India 499(C)
INDINAVIR: and ritonavir in HIV-1-infected individuals from an inner-city minority population 732
INFLAMMATORY DISORDERS: and neoplasms, management of HIV-related skin disease, Part II 235
INFLAMMATORY MARKERS: in the vagina in early pregnancy 289(C)
INFLUENZA A: comparison of symptoms of with abacavir-associated hypersensitivity reaction 478
INFORMATION LEAFLET: how useful? patients' acceptance of HIV testing 141(C)
INFORMATION TECHNOLOGY: in genitourinary medicine clinics in Wales 290(C)
INJECTION SAFETY: confound it: latent lessons from the Mwanza trial of STD treatment to reduce HIV transmission 179
INPATIENTS: emergence of AIDS in Guatemala: experience at the Hospital General San Juan de Dios 810
INTERFERON-α THERAPY: low dose, for HIV-associated multicentric Castleman's disease 61
INTERNET:
new WHO internet-based resource centre 291(C)
sex-seeking leads to acute HIV-infection: a report of two cases 285
INTESTINAL INFECTIONS: parasitic, association with acute or chronic diarrhoea in HIV-infected patients in Caracas, Venezuela 487

JAPANESE PEOPLE: AIDS, HIV and STD among Japanese and Japanese-Americans in San Francisco, California, USA 704

KAPOSI'S SARCOMA: update 225
KNOWLEDGE:
one-and-a-half decades of HIV/AIDS in Tamil Nadu: how much do patients know now? 552
of prevention of sexually transmitted diseases, correlates of among primary school pupils in Tanzania 596

LACTATE DEHYDROGENASE: and its isoenzymes in vaginal fluid in vaginitis/vaginosis cases and in healthy controls 270
LIVER TOXICITY: risk and determinants of developing during therapy with nevirapine- and efavirenz-containing regimens in HIV-infected patients 776
LUNG CANCER: HIV-related 647

MALIGNANCY:
HIV-related lung cancer 647
HIV-related testicular cancer 24
Kaposi's sarcoma 225
see also cervical cancer
MEDICAL STUDENT: awareness of sexual health is poor 386
MEN:
heterosexual activity of male prisoners in England and Wales 248
high rates of sexually transmitted disease among male transvestites in Jakarta, Indonesia 609
history of prior TB infection and HIV/AIDS risk behaviours among a sample of male inmates in the USA 514
management of penile intraepithelial neoplasia in genitourinary medicine 314
predictors of risky sex of young men after release from prison 519
previous STI and risk of HIV infection 341
same-sex activity of male prisoners in England and Wales 253
with urethral discharge, social marketing of pre-packaged treatment *(Clear Seven)* in Uganda 216
and women, differential of HIV prevalence in, who attend sexually transmitted disease clinics at HIV sentinel surveillance sites in Kenya, 1990–2001 193
MENTAL ILLNESS: HIV risk behaviours among psychiatric inpatients: results from a hospital-wide screening study in southern India 532
METHICILLIN-RESISTANT *STAPHYLOCOCCUS AUREUS*: and methicillin-susceptible *Staphylococcus aureus*, colonization of HIV infected outpatients in Taiwan 473
MICROSCOPY:
sensitivity of, for the rapid diagnosis of gonorrhoea in men and women and the role of gonorrhoea serovars 390
'shelf life' of *Trichomonas vaginalis* 28
MID-STREAM URINE SPECIMEN: identifying men with non-gonococcal urethritis who should have a sample sent for culture 503(C)
MIGRANTS:
AIDS, HIV and STD among Japanese and Japanese-Americans in San Francisco, California, USA 704
female sex workers in Italy, *Chlamydia trachomatis* genital infection 591
risk factors for HIV infection in women in Carletonville, South Africa: migration, demography and sexually transmitted diseases 814
MILITARY PERSONNEL:
asymptomatic candidal urethritis, prevalence in military recruits in the Celje region, Slovenia 765
HIV infection in insurgency forces in sub-Saharan Africa—a personal view of policies 174
MISDIAGNOSIS: or neglected disease? Donovanosis in developed countries 288(C)
MODERNIZATION: in GUM/HIV services: what does it mean? 89, 292
MOLECULAR DIAGNOSIS: influence of the expanding HIV genetic diversity in the Philippines 125
MOLECULAR EPIDEMIOLOGY: of endemic ciprofloxacin-resistant *Neisseria gonorrhoeae* in Liverpool 379

NEISSERIA GONORRHOEAE:
endemic, ciprofloxacin-resistant, molecular epidemiology of in Liverpool 379
gonorrhoea resurgence in Canada 727
sexually transmitted infections prevalence rates in slum communities of Dhaka, Bangladesh 614
NEOPLASMS: and inflammatory disorders, management of HIV-related skin disease, Part II 235

NEUROLOGICAL DEFICIT: fatal, Wernicke's encephalopathy in AIDS 712
NEVIRAPINE:
and efavirenz, risk and determinants of developing severe liver toxicity during therapy in HIV-infected patients 776
non-nucleoside reverse transcriptase inhibitors 71
NON-CONSENTING SEX: routine questioning about: a survey of practice in Australian sexual health clinics 329
NON-GONOCOCCAL URETHRITIS:
acute, urinary tract infection in patients with 502(C), 714(C)
identifying men with, who should have a mid-stream specimen of urine sent for culture 503(C)
screening for 360(C), 715(C)
NON-NUCLEOSIDE REVERSE TRANSCRIPTASE INHIBITORS 71
NOSOCOMIAL TRANSMISSION:
high rate of HIV seropositivity in Africa—alternative explanation 426(C)
HIV in Africa following unsafe injections 573(C)
HIV infection in sub-Saharan Africa 428(C), 570(C)
HIV infection in sub-Saharan Africa, do no harm 571(C)
HIV infections in sub-Saharan Africa 223(C)
HIV transmission in Africa in ways other than heterosexual sex 646(C)
how health care transmission of AIDS in Africa was ignored; let it be sexual 148
let it be sexual: health care transmission of AIDS in Africa was ignored 572(C)
missing link? 'The spread of HIV/AIDS in Africa through unsafe medical care' 222(C)
see also health care transmission
NURSE-LED CARE: sexual health care: international perspectives 243

OFLOXACIN: psychiatric side effects of, used in the treatment of pelvic inflammatory disease 636
OLYMPIC GAMES: demand for sexual health services during: both sides of the Sherman effect 307
ONCE-DAILY THERAPY:
Assessing Patients' Preferred Treatments (APPT-1) study 34(S1)
didanosine 15(S1)
less is more 1(S1)
OPPORTUNISTIC INFECTIONS:
multiple AIDS-associated disorders strictly related to immunodeficiency levels, in a girl with congenital HIV infection 638
spectrum in hospitalized HIV-infected patients in Phnom Penh, Cambodia 411
ORAL DISEASE: oral manifestation of HIV-AIDS in Nigerian patients 395

P53: ethnic variation of codon 72 polymorphism, HPV persistence and cervical cancer risk 800
PAEDIATRICS: loss to follow-up of HIV-exposed infants in South London 291(C)
PAPANICOLAOU SMEAR:
abnormality and genital human papillomavirus infection, factors predicting the persistence of, in HIV-positive and HIV-negative women during prospective follow-up 417
improved compliance with recommendations in HIV care clinic with computerized reminder system 675
PARASITIC INTESTINAL INFECTIONS: association with acute or chronic diarrhoea in HIV-infected patients in Caracas, Venezuela 487
PARTNER NOTIFICATION: audit of HIV in a district general hospital 854
PATIENTS:
one-and-a-half decades of HIV/AIDS in Tamil Nadu: how much do patients know now? 552
setting regional benchmarks for satisfaction, Southwest Regional Genitourinary Physicians' Audit Group 622
PELVIC INFECTION:
antibiotic treatment of pelvic inflammatory disease 429(C), 430(C)
guideline: do we have consensus? 68(C)
PELVIC INFLAMMATORY DISEASE:
antibiotic treatment 429(C), 430(C)
psychiatric side effects of ofloxacin used in treatment 636
PENILE INTRAEPITHELIAL NEOPLASIA: management of in genitourinary medicine 314
PERCENT CD4 T-LYMPHOCYTE DETERMINATIONS: used for CD4 T-lymphocyte count estimation in HIV-1-infected subjects in sub-Saharan Africa 547
PERINATAL TRANSMISSION: mother-to-child HIV transmission prevention in Thailand: physician zidovudine use and willingness to provide care 404
PILL BOXES: does discontinuing the use of to facilitate electronic monitoring impede adherence? 64(C)
PLASMA CELL VULVITIS: and response to topical steroids: a case report 568
***PNEUMOCYSTIS JIROVECI* PNEUMONIA:** in AIDS patients: reactivation, reinfection or both? 644(C)
POLYMER SENSORS: evaluation of a novel diagnostic test for bacterial vaginosis, 'the electronic nose' 114
POLYMERASE CHAIN REACTION: detection of human papillomavirus DNA in self-administered vaginal swabs as compared to cervical swabs 560
POPULATION SURVEILLANCE: gonorrhoea resurgence in Canada 727
PREGNANCY:
early, inflammatory markers in the vagina 289(C)
HIV/AIDS awareness and household environment of women in Pune, India 835
a multidisciplinary approach to chlamydia screening in women undergoing termination: how well are we doing? 287(C)
outcome and treponemal infection rates and risk factors in a rural area of Senegal 208
sensitivity and specificity of rapid HIV testing of pregnant women in India 37
termination: multidisciplinary approach to chlamydia screening 287(C)
PRESCRIBING: antiretroviral, in HIV patients, third regional audit 58
PREVENTION:
of chlamydia in primary care, let's talk about sex 503(C)
effectiveness of human papilloma virus vaccination 787
of sexually transmitted diseases, correlates of knowledge of among primary school pupils in Tanzania 596
PRIMARY CARE: let's talk about sex—chlamydia prevention 503(C)
PRISON:
abrogation of the confidentiality and human rights of prisoners seen in GUM clinics in the UK 510(C)
exclusively young offenders: providing dedicated adolescent sexual clinics in English young offender institutions 293
heterosexual activity of male prisoners in England and Wales 248
history of prior TB infection and HIV/AIDS risk behaviours among a sample of male inmates in the USA 514

predictors of risky sex of young men after release from prison 519
prisoners' human rights and sexually transmitted infection 509
same-sex activity of male prisoners in England and Wales 253
sexually transmitted infection in a young offender institution 513(C)
sexually transmitted infections in a young offenders institution in the UK 511
young offender institutions in England, providing dedicated adolescent sexual clinics, exclusively young offenders 293
PROTEASE INHIBITORS:
drug levels in management of human immunodeficiency virus-1 antiretroviral therapy 103
releasing true power of 29(S1)
PSYCHIATRIC INPATIENTS: HIV risk behaviour amongst: results from a hospital-wide screening study in southern India 532
PSYCHIATRIC SIDE EFFECTS: of ofloxacin used in the treatment of pelvic inflammatory disease 636
PSYCHOLOGICAL CHARACTERISTICS: once and future HIV treatment: a comparison of clinic and community groups 438
PUBLIC HEALTH:
gonorrhoea resurgence in Canada 727
prevalence and risk factors for STDs in rural Haiti: implications for policy and programming in resource-poor settings 848

QUALITY OF WORKING LIFE: in genitourinary medicine 524

REFERRAL: fast track for *Chlamydia trachomatis* infection in colposcopy unit 661
REMINDER SYSTEM, COMPUTERIZED: improved compliance for Papanicolaou smear recommendations in HIV care clinic 675
RENAL DISEASE: end-stage, experience with efavirenz 497
RESOURCES:
countries with very limited, do we have cheaper alternatives to highly active antiretroviral treatment 1(E)
prevalence and risk factors of STDs in rural Haiti: implications for policy and programming in resource-poor settings 848
RISK:
course of HIV disease does not depend on risk group:7.5-year follow-up in 296 patients 451
of HIV infection and previous STI in men 341
HIV prevalence in Zimbabwean women: 54–67% knowledge and perceived risk 202
RISK BEHAVIOURS:
all STDs are not created equal: an analysis of the differential effects of sexual behaviour changes on different STDs 320
cervical human papilloma virus infections in commercial sex workers 840
continued high-risk among HIV-positive people in Wales 737
history of prior TB infection and HIV/AIDS risk behaviours among a sample of male inmates in the USA 514
HIV, among psychiatric inpatients: results from a hospital-wide screening study in southern India 532
'I'm less at risk than most guys': gay men's unrealistic optimism about becoming infected with HIV 18
internet sex-seeking leads to acute HIV-infection: a report of two cases 285
newest epidemic: a review of HIV/AIDS in Central and Eastern Europe 361
once and future HIV treatment: a comparison of clinic and community groups 438
predictors of risky sex of young men after release from prison 519
symptomatic primary HIV infection or risk experiences? Circumstances surrounding HIV testing and diagnosis among recent seroconverters 601
RISK FACTORS:
cervical human papilloma virus infections in commercial sex workers 840
heterosexual HIV transmission in Africa: recent findings and future directions 428(C)
heterosexual transmission of HIV in Africa: an empiric estimate 162
high rate of HIV seropositivity in Africa—alternative explanation 426(C)
HIV in Africa following unsafe injections 573(C)
for HIV infection among women in Carletonville, South Africa: migration, demography and sexually transmitted diseases 814
HIV infection in sub-Saharan Africa 223(C), 428(C), 570(C)
HIV infection in sub-Saharan Africa, do no harm 571(C)
HIV transmission in Africa in ways other than heterosexual sex 646(C)
how health care transmission of AIDS in Africa was ignored; let it be sexual 148
identification of women at high STD risk among STD clinic attendees: implications for STD programmes 526
let it be sexual: health care transmission of AIDS in Africa was ignored 572(C)
missing link? 'The spread of HIV/AIDS in Africa through unsafe medical care' 222(C)
predicting the persistence of genital human papillomavirus infections and PAP smear abnormality in HIV-positive and HIV-negative women during prospective follow-up 417
for STDs in rural Haiti: implications for policy and programming in resource-poor settings 848
treponemal infection rates and pregnancy outcome in a rural area of Senegal 208
vertical HIV transmission, factors associated with during two different time periods: impact of zidovudine use on clinical practice at Brazilian reference centre 818
RITONAVIR: and indinavir in HIV-1-infected individuals from an inner-city minority population 732

***SACCHAROMYCES CEREVISIAE*:** comparison of salivary IgA and systemic IgA and IgG antibodies to, in HIV-infected subjects 458
SAFE SEX: early patterns of sexual activity: age cohort differences in Australia 745
SALIVARY ANTIBODY: IgA and systemic IgA and IgG antibodies to *Saccharomyces cerevisiae* in HIV-infected subjects, comparison of 458
SCREENING:
can a busy abortion service cope with a screen-and-treat policy for *Chlamydia trachomatis* infection? 50
does bacterial vaginosis alter the sensitivity of screening tests for *Chlamydia trachomatis*? An analysis of patient characteristics 448
for genital chlamydia infection: DNA amplification techniques should be test of choice 723
for non-gonococcal urethritis 360(C), 715(C)

SELF-REPORTING: of adherence to HIV antiretrovirals, factors associated with accuracy 281
SELF-TREATMENT:
cost-effectiveness of patient-applied treatments for anogenital warts 228
self-administered vaginal swabs as compared to cervical swabs, detection of human papillomavirus DNA 560
SEXUAL ABUSE: routine questioning about non-consenting sex: a survey of practice in Australian sexual health clinics 329
SEXUAL ASSAULT: should we offer antibiotic prophylaxis? 99
SEXUAL BEHAVIOUR:
analysis of the differential effects of changes on different STDs, all STDs are not created equal 320
asymptomatic chlamydial urethritis, prevalence in military recruits in the Celje region, Slovenia 765
cervical human papilloma virus infections in commercial sex workers 840
early patterns: age cohort differences in Australia 745
predictors of consistent condom use: a hierarchical analysis of adults from Kenya, Tanzania and Trinidad 584
prevalence, disclosure and interpretations in a sample of Canadian college-aged blood donors 399
prevalence of HIV infection in drug addicts of Bangladesh: drug habit, sexual practice and lifestyle 762
relationship between social network characteristics and exchanging sex for drugs or money among drug users in Baltimore, MD, USA 770
risk factors for HIV infection in women in Carletonville, South Africa: migration, demography and sexually transmitted diseases 814
and sexually transmitted infections among commercial sex workers in a rural district of Malawi 185
and social class in Australian women 344
SEXUAL DYSFUNCTION:
and HIV infection 69(C)
in HIV-positive individuals 63(C)
SEXUAL HEALTH:
exclusively young offenders: providing dedicated adolescent sexual clinics in English young offender institutions 293
medical student awareness is poor 386
needs of HIV-positive people 500(C)
needs of the under-16s attending an STI clinic: what are they and are they being addressed? 266
telemedicine and its use in promoting 66(C)
telemedicine use: response to comments by Hagley and Carne 68(C)
SEXUAL HEALTH CARE:
Australian clinics, routine questioning about non-consenting sex: a survey of practice 329
demand for services during the Olympic Games: both sides of the Sherman effect 307
dietitians in services—extension of the one-stop shop? 644(C)
of HIV-positive patients: an audit of a local service 493
nurse-led: international perspectives 243
whose clinic is it anyway? 287(C)
SEXUALLY TRANSMITTED DISEASE(S):
AIDS and HIV infection among Japanese and Japanese-Americans in San Francisco, California, USA 704
all are not created equal: an analysis of the differential effects of sexual behaviour changes on different STDs 320
assessment of management in Hefei, China 665
correlates of infection among adults living with HIV 539
correlates of knowledge of prevention, among primary school pupils in Tanzania 596
do clinics correctly diagnose STDs? Assessment of STD management in Hefei, China 665
high rates among male transvestites in Jakarta, Indonesia 609
high risk, identification of women among STD clinic attendees: implications for STD programmes 526
and HIV, geographical variations in prevalence of in rural Tanzania 274
and HIV infection, prevalence among attenders of the Erasmus MC STD clinic, Rotterdam, The Netherlands, during the years 1996 to 2000 119
is HIV? Analysis of the latest antenatal screening for HIV and syphilis from South Africa 574(C)
pilot study of community-based intervention to detect asymptomatic infections 830
prevalence and risk factors in rural Haiti: implications for policy and programming in resource-poor settings 848
prevalence rates in slum communities of Dhaka, Bangladesh 614
prisoners' human rights 509
and sexual behaviour among commercial sex workers in a rural district of Malawi 185
social and behavioural determinants of consistent condom use among hotel and bar workers in Northern Tanzania 688
and syringe-borne disease prevalence estimation among injection drug users in St Petersburg, Russia 697
traditional healers and the management of in Nairobi, Kenya 197
treatment to reduce HIV transmission, confound it: latent lessons from the Mwanza trial 179
virus seroprevalence in Korean populations including HIV-seropositive individuals 46
in a young offender institution 513(C)
in a young offender institution in the UK 511
SEXUALLY TRANSMITTED DISEASE CLINICS:
change from appointment service to walk-in triage service 793
differential of HIV prevalence in women and men attending at HIV sentinel surveillance sites in Kenya, 1990–2001 193
entry dyspareunia and longstanding vulval problems among clinic visitors in Oslo 796
Erasmus MC, Rotterdam, The Netherlands, during the years 1996 to 2000, prevalence of STD and HIV infections among attenders 119
identification of women at high STD risk among STD clinic attendees: implications for STD programmes 526
sexual health needs of the under-16s attending: what are they and are they being addressed? 266
in Yaounde, Cameroon, increased HIV prevalence among individuals attending 189
see also genitourinary medicine clinics
SHERMAN EFFECT: both sides of, demand for sexual health services during the Olympic Games 307
SIDE EFFECTS: psychiatric of ofloxacin used in the treatment of pelvic inflammatory disease 636
SILDENAFIL: postal survey to determine how many patients continued to seek treatment following trials 501(C)
SKIN DISEASE:
management of HIV-related, Part I: infections 78
management of HIV-related, Part II: neoplasms and inflammatory disorders 235
SLUM COMMUNITIES: sexually transmitted infection prevalence rates in Dhaka, Bangladesh 614

SOCIAL CLASS: and sexual behaviour in Australian women 344
SOCIAL MARKETING: of pre-packaged treatment for men with urethral discharge *(Clear Seven)* in Uganda 216
SOCIAL NETWORK CHARACTERISTICS:
once and future HIV treatment: a comparison of clinic and community groups 438
relationship between and exchanging sex for drugs or money among drug users in Baltimore, MD, USA 770
SPECIALTY WORKFORCE: review for genitourinary medicine 2002/2003: England, Wales, Northern Ireland and Scotland 656
SQUAMOUS INTRAEPITHELIAL LESIONS: anogenital warts contributing to risk of among HIV-positive women of São Paulo, Brazil 309
STAPHYLOCOCCUS AUREUS: methicillin-resistant and methicillin-susceptible, colonisation of HIV infected outpatients in Taiwan 473
STAVUDINE:
and didanosine, in combination with hydroxyurea in antiretroviral-experienced HIV infected subjects with a review of the literature 350
reassurance of experience 20(S1)
STEROIDS, TOPICAL: response to and plasma cell vulvitis: case report 568
STREET OUTREACH: for HIV prevention: effectiveness of a state-wide programme 334
SURGERY: traditional in sub-Saharan Africa: images from south Sudan 505
SWITCH MAINTENANCE THERAPY: perspectives on HAART 577
SYPHILIS:
analysis of the latest antenatal screening for HIV and syphilis from South Africa, HIV a sexually transmitted disease? 574(C)
referred from complementary medicine therapy 640
sexually transmitted infections prevalence rates in slum communities of Dhaka, Bangladesh 614
SYRINGE-BORNE DISEASE: and sexually transmitted disease prevalence estimation among injection drug users in St Petersburg, Russia 697
SYSTEMIC LUPUS ERYTHEMATOSUS: and discoid lupus erythematosus in HIV-infected patients treated with highly active antiretroviral therapy 356

TELEMEDICINE:
use in promoting sexual health 66(C)
use of: response to comments by Hagley and Carne 68(C)
TERMINATION OF PREGNANCY: multidisciplinary approach to chlamydia screening 287(C)
TEST OF CURE: gonorrhoea, audit at the genitourinary medicine department in Newcastle upon Tyne, UK 630
TESTICULAR CANCER: HIV-related 24
TRADITIONAL HEALERS:
HIV infections in sub-Saharan Africa 223(C)
management of sexually transmitted diseases in Nairobi, Kenya 197
traditional surgeons in sub-Saharan Africa: images from south Sudan 505
TRANSVESTITES: male, high rates of sexually transmitted disease amongst, in Jakarta, Indonesia 609
TREATMENT SEEKING: postal survey to determine how many patients continued with sildenafil following sildenafil trials 501(C)
TREPONEMAL INFECTION RATES: risk factors and pregnancy outcome in a rural area of Senegal 208
***TRICHOMONAS VAGINALIS*:** 'shelf life' of 28
TUBERCULOSIS INFECTION: history of, and HIV/AIDS risk behaviours among a sample of male inmates in the USA 514

URETHRAL DISCHARGE: social marketing of pre-packaged treatment for men *(Clear Seven)* in Uganda 216
URETHRITIS:
acute non-gonococcal, urinary tract infection in patients with 502(C), 714(C)
asymptomatic chlamydial, prevalence in military recruits in the Celje region, Slovenia 765
non-gonococcal, identifying men with who should have a mid-stream specimen of urine sent for culture 503(C)
URINARY TRACT INFECTION: in patients with acute non-gonococcal urethritis 502(C), 714(C)
URINE SPECIMEN: identifying men with non-gonococcal urethritis who should have a mid-stream sample sent for culture 503(C)

VACCINATION:
attitudes about human papillomavirus vaccine in young women 300
effectiveness of preventive human papilloma virus 787
hepatitis B, audit of 65(C)
hepatitis B, auditing delivery of first dose to at risk groups may be more important than subsequent doses 140(C)
offering the vaccine and accepting it: an audit of hepatitis B vaccination in West Midlands region 632
VAGINA: inflammatory markers in early pregnancy 289(C)
VAGINAL FLUID: lactate dehydrogenase and its isoenzymes in vaginitis/vaginosis cases and in healthy controls 270
VAGINITIS: vaginosis cases and healthy controls, lactate dehydrogenase and its isoenzymes in vaginal fluid 270
VAGINOSIS *see* bacterial vaginosis
VERTICAL TRANSMISSION:
factors associated with for HIV during two different time periods: impact of zidovudine use on clinical practice at Brazilian reference centre 818
mother-to-child HIV transmission prevention in Thailand: physician zidovudine use and willingness to provide care 404
VIAGRA: postal survey to determine how many patients continued to seek treatment with sildenafil following sildenafil trials 501(C)
VIRAL LOAD: HIV in plasma and cervicovaginal secretions in Filipino women 826
VULVITIS: plasma cell, and response to topical steroids: a case report 568
VULVODYNIA: longstanding vulval problems and entry dyspareunia among STD-clinic visitors in Oslo 796
VULVOVAGINAL CANDIDOSIS: detection by polymerase chain reaction *vs* microscopy and culture 753

WARTS *see* anogenital warts
WERNICKE'S ENCEPHALOPATHY: in AIDS: preventable cause of fatal neurological deficit 712
WOMEN:
Australian, sexual behaviour and social class 344
can a busy abortion service cope with a screen-and-treat policy for *Chlamydia trachomatis* infection? 50
at high STD risk among STD clinic attendees, identification of: implications for STD programmes 526
HIV/AIDS awareness and household environment of pregnant women in Pune, India 835
HIV-positive, anogenital warts contributing to the risk of squamous intraepithelial lesions, São Paulo, Brazil 309

WOMEN: (*Continued*)
HIV-positive and HIV-negative, factors predicting the persistence of genital human papillomavirus infection and PAP smear abnormality during prospective follow-up 417
human papillomavirus infection among female sex workers — Bali STD/AIDS study 681
inflammatory markers in the vagina in early pregnancy 289(C)
at low risk of cervical cancer, epidemiologic correlates of antibody response to human papillomavirus 258
and men, differential of HIV prevalence in, who attend sexually transmitted disease clinics at HIV sentinel surveillance sites in Kenya, 1990–2001 193
predictors of seropositivity to herpes simplex virus type 2 30
pregnant, in India, sensitivity and specificity of rapid HIV testing 37
prevalence and risk factors of STDs in rural Haiti: implications for policy and programming in resource-poor settings 848
risk factors for HIV infection in Carletonville, South Africa: migration, demography and sexually transmitted diseases 814
'shelf life' of *Trichomonas vaginalis* 28
treponemal infection rates, risk factors and pregnancy outcome in a rural area of Senegal 208
undergoing termination of pregnancy, a multidisciplinary approach to chlamydia screening: how well are we doing? 287(C)
young, attitudes about human papillomavirus vaccination 300
Zimbabwean, HIV prevalence in: 54–67% knowledge and perceived risk 202
WORK PLACE ABSENCE: impact on, accessibility, cost and convenience of attending genitourinary medicine clinics in London and Plymouth, audit to evaluate 55
WORLD HEALTH ORGANIZATION: new internet-based resource centre 291(C)

YOUNG OFFENDER INSTITUTIONS:
English, providing dedicated adolescent sexual clinics, exclusively young offenders 293
sexually transmitted infection in 513(C)
in the UK, sexually transmitted infections 511

ZIDOVUDINE:
impact of use on clinical practice at Brazilian reference centre: factors associated with vertical HIV transmission during two different time periods 818
physician use and willingness to provide care for mother-to-child HIV transmission prevention in Thailand 404